

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Nursing Home Name	Survey Date	Date of Correction
145816	LEXINGTON OF LAKE ZURICH	04/15/2010	04/30/2010
145816	LEXINGTON OF LAKE ZURICH	04/15/2010	05/02/2010
145816	LEXINGTON OF LAKE ZURICH	04/15/2010	04/30/2010
145816	LEXINGTON OF LAKE ZURICH	04/15/2010	04/30/2010
145816	LEXINGTON OF LAKE ZURICH	05/21/2010	06/18/2010
145816	LEXINGTON OF LAKE ZURICH	05/21/2010	06/18/2010
145816	LEXINGTON OF LAKE ZURICH	05/21/2010	06/18/2010
145816	LEXINGTON OF LAKE ZURICH	05/21/2010	06/18/2010

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
HEALTH	Quality Care Deficiencies
HEALTH	Quality Care Deficiencies
HEALTH	Nutrition and Dietary Deficiencies
HEALTH	Environmental Deficiencies
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Hazardous Area Deficiencies
FIRE SAFETY	Exits and Egress Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
Make sure services provided by the nursing facility meet professional standards of quality.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	2
1) Provide 3 meals at regular times; 2) serve breakfast within 14 hours after dinner; or 3) offer a snack at bedtime each day.	Some	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145816	LEXINGTON OF LAKE ZURICH	05/21/2010	06/18/2010
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Medical Gases and Anesthetizing Areas Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Vertical Openings Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Electrical Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

proper medical gas storage and administration areas.	Some	2
corridor and hallway doors that block smoke.	Some	2
proper stairway enclosures and vertical shafts.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
exits that are accessible at all times.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
properly maintained smoke detectors.	Many	2
properly protected cooking facilities.	Some	2
properly constructed linen or trash chutes.	Some	2
weekly inspections and monthly	Many	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145816	LEXINGTON OF LAKE ZURICH	06/14/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/16/2011	07/19/2011
145816	LEXINGTON OF LAKE ZURICH	06/16/2011	07/19/2011
145816	LEXINGTON OF LAKE ZURICH	06/16/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	06/16/2011	07/14/2011
145816	LEXINGTON OF LAKE ZURICH	06/16/2011	07/15/2011
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Electrical Deficiencies

HEALTH

Resident Rights Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Building Construction Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

testing of generators.		
properly installed electrical wiring and equipment.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
Properly care for residents needing special services, including: injections, colostomy, ureostomy, ileostomy, tracheostomy care, tracheal suctioning, respiratory care, foot care, and prostheses.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
approved construction type or	Many	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012
145816	LEXINGTON OF LAKE ZURICH	04/17/2012	05/17/2012

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Vertical Openings Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Electrical Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

materials.

proper stairway enclosures and vertical shafts.	Some	2
---	------	---

walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
--	------	---

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
--	------	---

record of quarterly fire drills for each shift under varying conditions.	Many	2
--	------	---

properly maintained smoke detectors.	Many	2
--------------------------------------	------	---

automatic sprinkler systems that have been maintained in working order.	Many	2
---	------	---

heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	2
---	------	---

properly protected cooking facilities.	Some	2
--	------	---

weekly inspections and monthly testing of generators.	Many	2
---	------	---

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
--------	--------------------------	------------	------------

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Resident Assessment Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

testing of generators.

Allow the resident the right to participate in the planning or revision of the resident's care plan.	Some	2
--	------	---

Provide necessary care and services to maintain the highest well being of each resident .	Few	2
---	-----	---

Give the right treatment and services to residents who have mental or psychosocial problems adjusting.	Few	2
--	-----	---

Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers) and help restore eating skills, if possible.	Few	2
--	-----	---

Give each resident enough fluids to keep them healthy and prevent dehydration.	Few	2
--	-----	---

Develop policies and procedures for influenza and pneumococcal immunizations.	Few	2
---	-----	---

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145816	LEXINGTON OF LAKE ZURICH	04/18/2012	05/08/2012
145887	WAUCONDA HEALTHCARE AND REHAB	10/15/2009	11/11/2009
145887	WAUCONDA HEALTHCARE AND REHAB	10/20/2009	10/22/2009
145887	WAUCONDA HEALTHCARE AND REHAB	10/20/2009	10/22/2009
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	12/20/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/15/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/17/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/17/2010

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Nutrition and Dietary Deficiencies

HEALTH

Quality Care Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Interior Finish Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
automatic sprinkler systems that have been maintained in working order.	Some	2
fire-resistant interior walls.	Many	2
signs that state that exit doors are to be kept closed.	Many	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/14/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/24/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	10/08/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/14/2010	09/17/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/20/2010	10/06/2010
145887	WAUCONDA HEALTHCARE AND REHAB	09/20/2010	10/06/2010
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/22/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/17/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/15/2011

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Medical Gases and Anesthetizing Areas Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

exits that are accessible at all times.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Few	2
properly maintained smoke detectors.	Many	2
proper fire barriers, ventilation and signs for the transport of oxygen.	Some	2
Provide necessary care and services to maintain the highest well being of each resident .	Some	2
Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Some	2
signs that state that exit doors are to be kept closed.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire	Some	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/18/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/22/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/15/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/23/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/15/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/15/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/18/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/18/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/18/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/18/2011

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Illumination and Emergency Power Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Electrical Deficiencies

FIRE SAFETY

Electrical Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

HEALTH

Resident Rights Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

for one hour or an approved fire extinguishing system.		
exits that are accessible at all times.	Some	2
proper backup exit lighting.	Some	2
a fire alarm system that can be heard throughout the facility.	Many	2
properly maintained smoke detectors.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
weekly inspections and monthly testing of generators.	Many	2
properly installed electrical wiring and equipment.	Few	2
back-up procedures in place for a faulty automatic sprinkler system.	Many	1
an approved back-up procedure for a faulty fire alarm system.	Many	1
Keep each resident's personal and medical records private and confidential.	Few	2
properly installed hallway dispensers for alcohol-based	Few	2

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/16/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/16/2011
--------	-------------------------------	------------	------------

145887	WAUCONDA HEALTHCARE AND REHAB	10/27/2011	11/25/2011
--------	-------------------------------	------------	------------

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Resident Rights Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

HEALTH

Nutrition and Dietary Deficiencies

HEALTH

Nutrition and Dietary Deficiencies

HEALTH

Environmental Deficiencies

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

hand rub.

Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Few	2
--	-----	---

Provide necessary care and services to maintain the highest well being of each resident .	Few	3
---	-----	---

Prevent a loss in range of motion among residents who entered the nursing home with a full range of motion unless it was unavoidable.	Few	2
---	-----	---

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	2
---	-----	---

Make sure menus meet the resident's nutritional needs and that there is a prepared menu by which nutritious meals have been planned for the resident and followed.	Few	2
--	-----	---

Store, cook, and serve food in a safe and clean way.	Many	2
--	------	---

Have a program that investigates,	Few	2
-----------------------------------	-----	---

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

Compare Nursing Home Survey Deficiency - 145887 to 14581

Based on Nursing Home Compare - Survey Deficiency

controls and keeps infection from
spreading.